

Author Index—Volume 104 (1998)

- Abdelbar, A.M.
 An algorithm for finding MAPs for belief networks through cost-based abduction 331-338
- Aha, D.W., see Kasif, S. 287-311
- Anrig, B., see Kohlas, J. 71-106
- Baral, C., A. Gabaldon and A. Proveti
 Formalizing narratives using nested circumscription 107-164
- Costello, T.
 The expressive power of circumscription 313-329
- Davis, R., see Stahovich, T.F. 211-264
- Evenchik, A., see Kraus, S. 1-69
- Ford, K.M., see LaForte, G. 265-286
- Gabaldon, A., see Baral, C. 107-164
- Haenni, R., see Kohlas, J. 71-106
- Hayes, P.J., see LaForte, G. 265-286
- Kasif, S., S. Salzberg, D. Waltz, J. Rachlin and D.W. Aha
 A probabilistic framework for memory-based reasoning 287-311
- Kohlas, J., B. Anrig, R. Haenni and P.A. Monney
 Model-based diagnostics and probabilistic assumption-based reasoning 71-106
- Kraus, S., K. Sycara and A. Evenchik
 Reaching agreements through argumentation: a logical model and implementation 1-69
- LaForte, G., P.J. Hayes and K.M. Ford
 Why Gödel's theorem cannot refute computationalism 265-286
- Levy, A.Y. and M.-C. Rousset
 Combining Horn rules and description logics in CARIN 165-209
- Monney, P.A., see Kohlas, J. 71-106
- Proveti, A., see Baral, C. 107-164
- Rachlin, J., see Kasif, S. 287-311
- Rousset, M.-C., see Levy, A.Y. 165-209
- Salzberg, S., see Kasif, S. 287-311

- Shrobe, H., see Stahovich, T.F. 211–264
- Stahovich, T.F., R. Davis and H. Shrobe
 Generating multiple new designs from a sketch 211–264
- Sycara, K., see Kraus, S. 1–69
- Thielscher, M.
 Reasoning about actions: steady versus stabilizing state constraints 339–355
- Waltz, D., see Kasif, S. 287–311

